

PHPSonos



Contents

Package PHPSonos Classes	1
Class PHPSonos	1
Constructor __construct	3
Method AddMember	3
Method AddToQueue	4
Method Browse	4
Method ClearQueue	5
Method GetAudioInputAttributes	5
Method GetCrossfadeMode	6
Method GetCurrentPlaylist	6
Method GetCurrentTransportActions	7
Method GetImportedPlaylists	7
Method GetInvisible	7
Method GetLEDState	8
Method GetMediaInfo	8
Method GetMute	9
Method GetPlaylist	9
Method GetPositionInfo	10
Method GetSonosPlaylists	10
Method GetTransportInfo	11
Method GetTransportSettings	11
Method GetVolume	12
Method GetZoneAttributes	12
Method GetZoneInfo	13
Method ListAlarms	13
Method Next	13
Method Pause	14
Method Play	14
Method Previous	15
Method RadiotimeGetNowPlaying	15
Method RampToVolume	15
Method RemoveFromQueue	16
Method RemoveMember	17
Method Rewind	17
Method SaveQueue	18
Method Seek	18
Method SetAVTransportURI	19
Method SetCrossfadeMode	19
Method SetInvisible	20
Method SetLEDState	20
Method SetMute	21
Method SetPlayMode	21
Method SetQueue	22

Method SetRadio	22
Method SetTrack	23
Method SetVolume	24
Method Stop	24
Method SubscribeMRAVTransport	24
Method SubscribeZPGroupManagement	25
Method UpdateAlarm	25
Package PHPSonos-inc-php Procedural Elements	28
PHPSonos.inc.php	28
Appendices	29
Appendix A - Class Trees	30
PHPSonos-inc-php	30
PHPSonos	30
Appendix D - Todo List	31

Package PHPSonos Classes

Class PHPSonos

[line 110]

PHPSonos Class

PHPSonos Class originally released as: Sonos PHP Script - Copyright: Michael Maroszek - Version: 1.0, 09.07.2009

Wiki: [PHPSonos IPS-WIKI](#)

Verschiedene IPS Benutzer haben die Klasse inzwischen erweitert oder im zuletzt genannten Thread Hinweise zum Handling ausgetauscht.

Paresy released his first version of PHPsonos in this forum thread Einzelne Sonos Player ansteuern. He later build a class and rereleased his routines in this thread: PHP Sonos (Klasse zum Ansteuern einzelner Player).

There is a growing community of sonos enthusiasts supporting and developing PHPSONOS - we share knowledge and developements in this thread PHP Sonos (Klasse zum Ansteuern einzelner Player)

Changelog:

- andre added setter functions
- 110108 - br added comments based on UPNP information from devicespy; also added the function XMLsendPacket to get non filtered answers
- 110120 - br added Set and GetLEDState
- 110202 - br added GetZoneAttributes
- 110202 - br added GetZoneInfo
- 110203 - br added gestposinfo TrackURI (contains x-rincon of the zone master if we are slave)
- 110206 - br added AddMember(Rincon...) and RemoveMember(Rincon...)
- 110207 - br added RamptoVolume
- 110208 - br added calculation of Content-Length to some functions
- 110318 - br fiddled with Playmode (maybe fixed a bug)

- 110318 - br added Get and Set CrossfadeMode
- 110318 - br added SaveQueue
- 110328 - ta lun added GetPlaylist(\$value)
- 110328 - ta lun added GetImportedPlaylists()
- 110328 - ta lun added GetSonosPlaylists()
- 110328 - ta lun added GetCurrentPlaylist()
- 110328 - br corrected titel to title and other things...
- 110328 - br added optional parameter id to SaveQueue
- 110406 - br edited Seek to accept UPNP Unit parameter as option (sec. arg is Target then)
- 110406 - br edited GetPositionInfo to also reflect UPNP return value names
- 110406 - br fixed non valid soap request in seek()
- 110406 - br added return of CurrentURI and CurrentUriMetaData to Get (Current File or QUEUE)
- 110407 - br consolidated SetRadio, SetQueue and SetAVTransportURI
- 110529 - br GetMediaInfo now returns Radio station in the array, key is title
- 110529 - ta lun added browse functions
- 110529 - iamking added GetAlarmTime()
- 110529 - ta lun fixed misc bugs and GetAlarmTime() now returns an array
- 110530 - br edited Browse() to reflect upnp possibilities
- 110601 - br renamed GetAlarmtime to ListAlarms to reflect upnp Names
- 110601 - iamking improved ListAlarms - added ProgramURI, ProgramMetaData, PlayMode, Volume, IncludeLinkedZones
- 110614 - br added parameters to Browse / <http://www.ip-symcon.de/forum/f53/php-sonos-klasse-ansteuern-einzeln-player-7676/index10.html#post120977>
- 110627 - talun edited GetSonosPlaylists: urlencode file
- 110711 - br fixed Problems in SetAVTransportUri
- 110821 - br/talun edited Browse to return duration
- 110821 - br added GetAudioInputAttributes
- 110828 - br added Radiotime Radio Cover for GetPositionInfo (patching in Raditiome Cover URI)
 - 110901 - br shifted Radiotime Functions from getpositioninfo to new Function RadiotimeGetNowPlaying (returns array)
- 110905 - br fixed Bug in getpositioninfo for getting the actual Track in a playlist (quickfix)
- 110907 - br deleted, added and edited comment lines
- 110908 - br added phpdoc tags for documentation
- 110909 - br found sendpacket commented out in RemoveMember and reenabled the sending now (TEST?!)
- 110911 - br added phpdoc tags for documentation
- 110915 - br added PhpSonos API key/ partnerid for Intune (usable for ANYONE who uses the PHPSonos class noncommercial or commercial) - thanks to Ben@tunein for advocation and great support!

Drop me a note if you are a PHPSonos developer and need access to documentation of tunein APIs.
- 110916 - br added GetCurrentTransportActions() which returns the currently valid actions (nearly always returns all actions "Play, Stop, Pause, Seek, Next, Previous" for me)...
- 110916 - br added Get and SetInvisible to make it possible to change visibilty for party mode or other things (kids should not see their player in the night *g)
- 110916 - br improved phpdoc tags
- 111021 - br added soap parameters to ramptovolume (function did not work anymore

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1
- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:GroupManagement
- **Returns:** array with CurrentTransportsettings and GroupUUIDJoined as keys

- **Link** [Wiki](#)
- **Access** public

String function PHPSonos::AddToQueue(\$file) [line 1741]

Function Parameters:

- *string* **\$file** Uri or Filename

Adds URI to Queue (not the Playlist!!)

- **NOTE:** Works on queue
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Sendpacket returns

- **Access** public

Array function PHPSonos::Browse(\$value, [\$meta = "BrowseDirectChildren"], [\$filter = ""], [\$sindex = "0"], [\$rcount = "1000"], [\$sc = ""]) [line 2082]

Function Parameters:

- *string* **\$value** ObjectID
- *string* **\$meta** BrowseFlag
- *string* **\$filter** Filter

- *string* **\$sindex** SearchIndex
- *string* **\$rcount** ResultCount
- *string* **\$sc** SortCriteria

Universal function to browse ContentDirectory

- **NOTE:** please use upnp and sonos documentation to get an idea of the return
- **Device:** urn:schemas-upnp-org:device:MediaServer:1
- **WSDL:** fill in
- **Service:** urn:upnp-org:serviceId:ContentDirectory
- **Returns:** Array with metadata; please use upnp and sonos documentation to get an idea of the return

- **Access** public

String function PHPSonos::ClearQueue() [*line 1712*]

Clears devices Queue

- **NOTE:** This function clears the actual playing queue but not the actually selected playlist
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Sendpacket returns

- **Access** public

Array function PHPSonos::GetAudioInputAttributes() [*line 258*]

Get information of devices inputs

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1

- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:Audioln
- **Returns:** Array
- **NOTE:** fill in

- **Link** [Forum-Post](#)
- **Access** public

Boolean function PHPSonos::GetCrossfadeMode() [*line 835*]

Get info on actual crossfademode

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Boolean

- **Access** public

String function PHPSonos::GetCurrentPlaylist() [*line 1833*]

Returns an array with the songs of the actual sonos queue

- **NOTE:** Wrapper for Browse
- **Device:** urn:schemas-upnp-org:device:MediaServer:1
- **WSDL:** fill in
- **Service:** urn:upnp-org:serviceId:ContentDirectory
- **Returns:** (String) Playlist ID

- **Access** public

String function PHPSonos::GetCurrentTransportActions() [*line 1312*]

Gets transport settings for a renderer

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** String (comma sep.) with available actions
- **NOTE:**

- **Access** public

Array function PHPSonos::GetImportedPlaylists() [*line 1952*]

Returns an array with all imported PL

- **NOTE:** Wrapper for Browse
- **Device:** urn:schemas-upnp-org:device:MediaServer:1
- **WSDL:** fill in
- **Service:** urn:upnp-org:serviceId:ContentDirectory
- **Returns:** Array with all imported PL (Share, Mediaplayer, itunes....)

- **Access** public

Boolean function PHPSonos::GetInvisible() [*line 576*]

Gets ZP invisible information

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1
- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:DeviceProperties
- **Returns:** True or False for invisible status
- **NOTE:** If you miss a Zoneplayer try this!!

- [Link Wiki](#)
- Access public

Boolean function PHPSonos::GetLEDState() *[line 510]*

Gets the state of the white LED

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1
- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:DeviceProperties

- [Link Wiki](#)
- Access public

Array function PHPSonos::GetMediaInfo() *[line 1388]*

Gets Media Info

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:**

```

1      Array      (
2          [CurrentURI] =>
http://192.168.0.2:10243/WMPNSSv4/1458092455/0_egg1ODYxQzMwLTFEYnZgtNDc0Ri05MkQ0LTQxNzE1MDQ0MjMyMX0uMC4
0.mp3
3          [CurrentURIMetaData] => <          DIDL-Lite xmlns:dc="http://purl.org/dc/elements/1.1/"
xmlns:upnp="urn:schemas-upnp-org:metadata-1-0/upnp/"          xmlns="urn:schemas-upnp-
org:metadata-1-0/DIDL-Lite/"          > <          item id="{85861C30-1278-474F-92D4-
417150442321}.0.4"          restricted="0"          parentID="4"          >
<          dc:title> Car Crazy Cutie</          dc:title>          <          dc:creator> Beach
Boys</          dc:creator>          <          res size="2753092"          duration="0:02:50.000"
bitrate="16000"          protocolInfo="http-
get:*:audio/mpeg:DLNA.ORG_OP=01;DLNA.ORG_FLAGS=01500000000000000000000000000000"
sampleFrequency="44100"          bitsPerSample="16"          nrAudioChannels="2"
microsoft:codec="{00000055-0000-0010-8000-00AA00389B71}"          xmlns:microsoft="urn:schemas-
microsoft-com:WMPNSS-1-
0/"          > http://192.168.0.2:10243/WMPNSSv4/1458092455/0_egg1ODYxQzMwLTFEYnZgtNDc0Ri05MkQ0LTQxNzE1MDQ
0MjMyMX0uMC40.mp3</res>          <res duration="0:02:50.000"
bitrate="16000"          protocolInfo="http-
get:*:audio/mpeg:DLNA.ORG_PN=MP3;DLNA.ORG_OP=10;DLNA.ORG_CI=1;DLNA.ORG_FLAGS=01500000000000000000000000
0000000"          sampleFrequency="44100"          nrAudioChannels="1"          microso

```

4 [title] => Car Crazy Cutie)

- **NOTE:** SOAP returns CurrentURIMetaData this has to be parsed

- **Access** public

string function PHPSonos::GetMute() [*line 1181*]

Gets mute/ unmute status for a player

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** String; sendpacket Return

- **Access** public

Array function PHPSonos::GetPlaylist(\$value) [*line 2009*]

Function Parameters:

- *string* **\$value** Id of the playlist

Returns an array with all songs of a specific Playlist

- **NOTE:** Wrapper for Browse
- **Device:** urn:schemas-upnp-org:device:MediaServer:1
- **WSDL:** fill in
- **Service:** urn:upnp-org:serviceId:ContentDirectory
- **Returns:** Array with MetaData on the songs

- **Access public**

Array function PHPSonos::GetPositionInfo() [line 1474]

Gets position info

- **NOTE:** this is one of the most interesting and complex functions with most interesting informations! You may get radio and zonegroup info out of parsing this information!
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Example:

```

1      Array
2      (
3          [position] =>    0:00:59
4          [RelTime] =>    0:00:59
5          [duration] =>   0:01:51
6          [TrackDuration] => 0:01:51
7          [URI] =>
8          http://zzz.yyy.0.x:10243/WMPNSSv4/1458092455/0_ezRENTU5NjFDLUE3MDctNDIwRC04NTc4LUFODDg4QTVFMzMxQX0uMC40.mp3
9          [TrackURI] =>
10         http://192.168.0.x:10243/WMPNSSv4/1458092455/0_ezRENTU5NjFDLUE3MDctNDIwRC04NTc4LUFODDg4QTVFMzMxQX0uMC40.mp3
11         [artist] =>    Beach Bxxx...
12         [title] =>    Cher... What?
13         [album] =>    Little Deuce...
14         [albumArtURI] =>
15         http://zzz.168.y.xxx:1400/getaa?u=http://zzz.168.y.xxx:10243/WMPNSSv4/1458092455/0_ezRENTU5NjFDLUE3MDctNDIwRC04NTc4LUFODDg4QTVFMzMxQX0uMC40.mp3&v=279
16         [albumArtist] =>    Beach xxxx....
17         [albumTrackNumber] =>    5
18         [streamContent] =>
19         [trackURI] =>
20         [Track] =>    1
21     )

```

- **Access public**

Array function PHPSonos::GetSonosPlaylists() [line 1899]

Returns an array with all sonos playlists

- **NOTE:** Wrapper for Browse

- **Device:** urn:schemas-upnp-org:device:MediaServer:1
- **WSDL:** fill in
- **Service:** urn:upnp-org:serviceId:ContentDirectory
- **Returns:** Array with all Sonos PI

- **Access** public

Array function PHPSonos::GetTransportInfo() [*line 1345*]

Gets transport settings for a renderer

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Array with "repeat" and "shuffle" as keys and true/false as value
- **NOTE:**

- **Access** public

Array function PHPSonos::GetTransportSettings() [*line 1250*]

Gets transport settings for a renderer

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Array with "repeat" and "shuffle" as keys and true/false as value
- **NOTE:**
SOAP return sometimes is PLAYING; I don't know what this means, maybe only Radio (see the code below).

NORMAL = SHUFFLE and REPEAT -->FALSE
 REPEAT_ALL = REPEAT --> TRUE, Shuffle --> FALSE
 SHUFFLE_NOPEAT = SHUFFLE -->TRUE / REPEAT = FALSE

SHUFFLE = SHUFFLE and REPEAT -->TRUE

- **Access** public

String function PHPSonos::GetVolume() [*line 1126*]

Gets current volume information from player

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** String; sendpacket Return

- **Access** public

Array function PHPSonos::GetZoneAttributes() [*line 325*]

Reads Zone Attributes

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1
- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:DeviceProperties
- **Returns:** Example:

```
1      Array
2      (
3          [CurrentZoneName] =>      Kxz Boxyz
4          [CurrentIcon] =>      x-rincon-roomicon:office
5      )
```

- **Link** [Wiki](#)
- **Access** public

Array function PHPSonos::GetZoneInfo() [line 391]

Reads Zone Information

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1
- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:DeviceProperties
- **Returns:** Example:

```
1   Array
2   (
3       [SerialNumber] => 00-zz-58-32-yy-xx:5
4       [SoftwareVersion] => 15.4-442xx
5       [DisplaySoftwareVersion] => 3.5.x
6       [HardwareVersion] => 1.16.3.z-y
7       [IPAddress] => yyy.168.z.xxx
8       [MACAddress] => 00:zz:58:32:yy:xx
9       [CopyrightInfo] => © 2004-2007 Sonos, Inc. All Rights Reserved.
10      [ExtraInfo] => OTP: 1.1.x(1-yy-3-0.x)
11  )
```

- **Link** [Wiki](#)
- **Access** public

Array function PHPSonos::ListAlarms() [line 141]

Returns a list of alarms from sonos device

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1
- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:AlarmClock

- **Link** [Forum-Post](#)
- **Access** public

Void function PHPSonos::Next() [line 979]

NEXT

- **NOTE:** Please look at the Soap Method GetCurrentTransportActions (which returns valid actions)
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Void; should be sendpacket contents

- **Access** public

Void function PHPSonos::Pause() [*line 927*]

PAUSE pauses playback

- **NOTE:** It is NOT always possible to send a PAUSE command (so you may get an error!!
Please look at the Soap Method GetCurrentTransportActions (which returns valid actions)
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Void

- **TODO** return should be sendpacket contents
- **Access** public

Void function PHPSonos::Play() [*line 953*]

PLAY plays or continues playback

- **NOTE:** It is sometimes necessary to send a play after messing with zonegroups and/or starting a new play on a new uri
Please look at the Soap Method GetCurrentTransportActions (which returns valid actions)
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Void; should be sendpacket contents

- **Access** public

Void function PHPSonos::Previous() [*line 1005*]

PREVIOUS

- **NOTE:** Please look at the Soap Method GetCurrentTransportActions (which returns valid actions)
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Void; should be sendpacket contents

- **Access** public

Array function PHPSonos::RadiotimeGetNowPlaying() [*line 2209*]

- NOTE:

- **Device:** -
- **WSDL:** -
- **Service:** -
- **Returns:** Array with Status, Version info and Logos

- **Access** public

Void function PHPSonos::RampToVolume(\$ramp_type, \$volume) [*line 740*]

Function Parameters:

- *string* **\$ramp_type** Ramp_type
Ramps Volume to \$volume using the Method mentioned in \$ramp_type as string:
"SLEEP_TIMER_RAMP_TYPE" - mutes and ups Volume per default within 17 seconds to desiredVolume
"ALARM_RAMP_TYPE" -Switches audio off and slowly goes to volume
"AUTOPLAY_RAMP_TYPE" - very fast and smooth; Implemented from Sonos for the autoplay feature.
- *string* **\$volume** DesiredVolume

Ramps Volume to \$volume using \$ramp_type ; different algorithms are possible

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:upnp-org:serviceId:RenderingControl
- **Returns:** Function Should return Rampseconds but this is NOT implemented!

- **Link** [Wiki](#)
- **TODO** Function Should return Rampseconds but this is NOT implemented!
- **Access** public

string function PHPSonos::RemoveFromQueue(\$track) [*line 1770*]

Function Parameters:

- *string* **\$track** Tracknumber/id to remove from current sonos queue (!)

Removes track from queue (not the Playlist!!)

- **NOTE:** Works on queue
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Sendpacket returns

- **Access** public

String function PHPSonos::RemoveMember(\$MemberID) [*line 682*]

Function Parameters:

- *string* **\$MemberID** LocalUUID/ Rincon of Player to remove

Removes a Member from an existing ZoneGroup (a single player is also considered an existing group and the action will result in muting the player)

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1
- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:GroupManagement
- **Returns:** for now the sendPacketAnswer

- **Link** [Wiki](#)
- **TODO** br 20110909 return \$this->sendPacket(\$content); this Line was commented out; i dont understand why... changed this
- **Access** public

String function PHPSonos::Rewind() [*line 1073*]

REWIND

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** String

- **TODO** should be sendpacket Return

- **SOAP** this Functions calls seek REL_TIME with target set to 00:00:00
There is a also a function called previous.
- **Access** public

string function PHPSonos::SaveQueue(\$title, [\$sid = ""]) [*line 804*]

Function Parameters:

- *string* **\$title** Title of Playlist
- *string* **\$id** Playlists ID (optional)

Save current queue off to sonos

- **NOTE:**
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Sendpacket contents

- **Link** [Wiki](#)
- **Access** public

String function PHPSonos::Seek(\$arg1, [\$arg2 = "NONE"]) [*line 1034*]

Function Parameters:

- *string* **\$arg1** Unit ("TRACK_NR" || "REL_TIME" || "SECTION")
- *string* **\$arg2** Target (if this Arg is not set Arg1 is considered to be "REL_TIME" and the real arg1 value is set as arg2 value)

SEEK

- **NOTE:** Please look at the Soap Method GetCurrentTransportActions (which returns valid actions)
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in

- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** String; should be sendpacket contents as array

- **Access** public

String function PHPSonos::SetAVTransportURI(\$tspuri, [\$MetaData = ""]) [line 1662]

Function Parameters:

- *string* **\$tspuri** Transport URI
- *string* **\$MetaData** (optional for MetaData)

Sets Av Transport URI

- **NOTE:** Main SOAP method to set play URI - this is the plain SetAVTransportURI
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** sendpacket return

- **Access** public

Void function PHPSonos::SetCrossfadeMode(\$mode) [line 867]

Function Parameters:

- *string* **\$mode** Enable/ Disable = 1/0 (string) = true /false (boolean)

Set crossfade to true or false

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1

- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Void; should return sendpacket return

- **Link** [Wiki](#)
- **Access** public

Boolean function PHPSonos::SetInvisible(\$state) [line 542]

Function Parameters:

- *string* **\$state** integer true||false value or string True/ False

Sets ZP to visible or unvisable

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1
- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:DeviceProperties
- **Returns:** True or False for invisible status
- **NOTE:**

- **Link** [Wiki](#)
- **Access** public

Boolean function PHPSonos::SetLEDState(\$state) [line 477]

Function Parameters:

- *string* **\$state** true||false value or On / Off

Sets the state of the white LED

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1
- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:DeviceProperties

- **Link** [Wiki](#)
- **Access** public

String function PHPSonos::SetMute(\$mute) [*line 1153*]

Function Parameters:

- *string* **\$mute** Mute unmute as (boolean)true/false or (string)1/0

Sets mute/ unmute for a player

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** String; sendpacket Return

- **Access** public

String function PHPSonos::SetPlayMode(\$mode) [*line 1215*]

Function Parameters:

- *string* **\$mode** "NORMAL" || "REPEAT_ALL" || "SHUFFLE_NO_REPEAT" || "SHUFFLE"

Sets Playmode for a renderer (could affect more than one zone!)

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1

- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** String; sendpacket Return
- **NOTE:**
 - NORMAL = SHUFFLE and REPEAT -->FALSE
 - REPEAT_ALL = REPEAT --> TRUE, Shuffle --> FALSE
 - SHUFFLE_NOPEAT = SHUFFLE -->TRUE / REPEAT = FALSE
 - SHUFFLE = SHUFFLE and REPEAT -->TRUE

- **Access** public

Void function PHPSonos::SetQueue(\$queue, [\$MetaData = ""]) [line 1694]

Function Parameters:

- *string* **\$queue** transport URI or Queue
- *string* **\$MetaData** (optional for MetaData)

Sets Queue

- **NOTE:** This is only a Wrapper for setting a queue via SetAVTransportURI
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Void

- **TODO** SHOULD return something else
- **Access** public

array function PHPSonos::SetRadio(\$radio, [\$Name = "IP-Symcon Radio"], [\$id = "R:0/0/0"], [\$parentID = "R:0/0"]) [line 1639]

Function Parameters:

- *string* **\$radio** radio url
- *string* **\$Name** Name of station (optional, default IP-Symcon Radio)
- *string* **\$id** ID of Station (optional, default R:0/0/0)
- *string* **\$parentID** parentID (optional, default R:0/0)

Play Radio station

- **NOTE:** This is only a SetAVTransportURI Wrapper to switch to a radio station
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Array with \$radio and \$ MetaData as key

- **Access** public

string function PHPSonos::SetTrack(\$track) [*line 1799*]

Function Parameters:

- *string* **\$track** Number/ID of the track to play in queue

Jumps directly to the track

- **NOTE:** I think I never used this method (br) ... ever used direkt seek call. So note this is only a wrapper!
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Sendpacket returns

- **Access** public

String function PHPSonos::SetVolume(\$volume) [line 1101]

Function Parameters:

- *string* **\$volume** Volume in percent

Sets volume for a player

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** String; sendpacket Return

- **Access** public

Void function PHPSonos::Stop() [line 899]

STOP Stops playback

- **NOTE:** It is sometimes necessary to send a stop after removing a zone from a group
- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1
- **Returns:** Void

- **TODO** return should be sendpacket contents
- **Access** public

Void function PHPSonos::SubscribeMRAVTransport(\$callback) [line 775]

Function Parameters:

- *string* **\$callback** CallbackURL Well gat a HTTP Callback at this URI (SOAP)

TEST Function for MediaRenderAVT Callback and IPS Register Vars

- **Device:** urn:schemas-upnp-org:device:MediaRenderer:1
- **WSDL:** fill in
- **Service:** urn:schemas-upnp-org:service:AVTransport:1 none
- **Returns:** Sendpacket contents

void function PHPSonos::SubscribeZPGroupManagement(\$callback) *[line 596]*

Function Parameters:

- **\$callback**

Void function PHPSonos::UpdateAlarm(\$id, \$startzeit, \$duration, \$welchetage, \$an, \$roomid, \$programm, \$programmmeta, \$playmode, \$volume, \$linkedzone, \$programmmeta) *[line 210]*

Function Parameters:

- *string* **\$id** Id of the Alarm
- *string* **\$startzeit** StartLocalTime
- *string* **\$duration** Duration
- *string* **\$welchetage** Recurrence
- *string* **\$an** Enabled? (true/false)
- *string* **\$roomid** Room UUID
- *string* **\$programm** ProgramUri
- *string* **\$programmmeta** ProgramMetadata
- *string* **\$playmode** PlayMode
- *string* **\$volume** Volume
- *string* **\$linkedzone** IncludeLinkedZones
- **\$programmmeta**

Updates an existing alarm

- **Device:** urn:schemas-upnp-org:device:ZonePlayer:1
- **WSDL:** http://play.er.i.p:1400/xml/zone_player.xml
- **Service:** urn:upnp-org:serviceId:AlarmClock
- **Returns:** None
- **NOTE:** fill in

- **Link** [Forum-post](#)
- **Access** public

Package PHPSonos-inc-php Procedural Elements

PHPSonos.inc.php

PHPSonos.inc.php

PHPSonos class originally released as: Sonos PHP Script - Copyright: Michael Maroszek
- Version: 1.0, 09.07.2009

Wiki: [PHPSonos IPS-WIKI](#)

- **Package** PHPSonos-inc-php
- **Author** Michael Maroszek < office@ip-symcon.de> and many others
- **Version** see date of edit
- **Copyright** original 1.0 version Michael Maroszek; later additions if not otherwise stated are released to public domain

Appendices

Appendix A - Class Trees

Package PHPSonos-inc-php

Package PHPSonos

PHPSonos

- [PHPSonos](#)

Appendix D - Todo List

In Package PHPSonos

In [PHPSonos::Pause\(\)](#)

- return should be sendpacket contents

In [PHPSonos::RampToVolume\(\)](#)

- Function Should return Rampseconds but this is NOT implemented!

In [PHPSonos::RemoveMember\(\)](#)

- br 20110909 return \$this->sendPacket(\$content); this Line was commented out; i dont understand why... changed this

In [PHPSonos::Rewind\(\)](#)

- should be sendpacket Return
 - **SOAP** this Functions calls seek REL_TIME with target set to 00:00:00
There is a also a function called previous.

In [PHPSonos::SetQueue\(\)](#)

- SHOULD return something else

In [PHPSonos::Stop\(\)](#)

- return should be sendpacket contents

Index

C

[constructor PHPSonos:: construct\(\)](#) 3

P

[PHPSonos::Seek\(\)](#) 18

SEEK

[PHPSonos::SaveQueue\(\)](#) 18

Save current queue off to sonos

[PHPSonos::SetAVTransportURI\(\)](#) 19

Sets Av Transport URI

[PHPSonos::SetCrossfadeMode\(\)](#) 19

Set crossfade to true or false

[PHPSonos::SetInvisible\(\)](#) 20

Sets ZP to visible or unvisable

[PHPSonos::Rewind\(\)](#) 17

REWIND

[PHPSonos::RemoveMember\(\)](#) 17

*Removes a Member from an existing ZoneGroup
(a single player is also considered an existing group and the action will result in muting the player)*

[PHPSonos::Previous\(\)](#) 15

PREVIOUS

[PHPSonos::RadiotimeGetNowPlaying\(\)](#) 15

[PHPSonos::RampToVolume\(\)](#) 15

Ramps Volume to \$volume using \$ramp_type ; different algorithms are possible

[PHPSonos::RemoveFromQueue\(\)](#) 16

Removes track from queue (not the Playlist!!)

[PHPSonos::SetLEDState\(\)](#) 20

Sets the state of the white LED

[PHPSonos::SetMute\(\)](#) 21

Sets mute/ unmute for a player

[PHPSonos::SubscribeMRAVTransport\(\)](#) 24

TEST Function for MediaRenderAVT Callback and IPS Register Vars

[PHPSonos::SubscribeZPGroupManagement\(\)](#) 25

[PHPSonos::UpdateAlarm\(\)](#) 25

Updates an existing alarm

[PHPSonos.inc.php](#) 28

PHPSonos.inc.php

[PHPSonos::Stop\(\)](#) 24

STOP Stops playback

[PHPSonos::SetVolume\(\)](#) 24

Sets volume for a player

[PHPSonos::SetPlayMode\(\)](#) 21

<i>Sets Playmode for a renderer (could affect more than one zone!)</i>	
PHPSonos::SetQueue()	22
<i>Sets Queue</i>	
PHPSonos::SetRadio()	22
<i>Play Radio station</i>	
PHPSonos::SetTrack()	23
<i>Jumps directly to the track</i>	
PHPSonos::Play()	14
<i>PLAY plays or continues playback</i>	
PHPSonos::Pause()	14
<i>PAUSE pauses playback</i>	
PHPSonos::GetCurrentTransportActions()	7
<i>Gets transport settings for a renderer</i>	
PHPSonos::GetCurrentPlaylist()	6
<i>Returns an array with the songs of the actual sonos queue</i>	
PHPSonos::GetImportedPlaylists()	7
<i>Returns an array with all imported PL</i>	
PHPSonos::GetInvisible()	7
<i>Gets ZP invisible information</i>	
PHPSonos::GetLEDState()	8
<i>Gets the state of the white LED</i>	
PHPSonos::GetCrossfadeMode()	6
<i>Get info on actual crossfademode</i>	
PHPSonos::GetAudioInputAttributes()	5
<i>Get information of devices inputs</i>	
PHPSonos::AddMember()	3
<i>Adds a Member to a existing ZoneGroup (a single player is also considered a existing group)</i>	
PHPSonos::AddToQueue()	4
<i>Adds URI to Queue (not the Playlist!!)</i>	
PHPSonos::Browse()	4
<i>Universal function to browse ContentDirectory</i>	
PHPSonos::ClearQueue()	5
<i>Clears devices Queue</i>	
PHPSonos::GetMediaInfo()	8
<i>Gets Media Info</i>	
PHPSonos::GetMute()	9
<i>Gets mute/ unmute status for a player</i>	
PHPSonos::GetZoneAttributes()	12
<i>Reads Zone Attributes</i>	
PHPSonos::GetZoneInfo()	13
<i>Reads Zone Information</i>	
PHPSonos::ListAlarms()	13
<i>Returns a list of alarms from sonos device</i>	
PHPSonos::Next()	13
<i>NEXT</i>	
PHPSonos::GetVolume()	12
<i>Gets current volume information from player</i>	
PHPSonos::GetTransportSettings()	11
<i>Gets transport settings for a renderer</i>	
PHPSonos::GetPlaylist()	9
<i>Returns an array with all songs of a specific Playlist</i>	
PHPSonos::GetPositionInfo()	10

<i>Gets position info</i>	
PHPSonos::GetSonosPlaylists()	10
<i>Returns an array with all sonos playlists</i>	
PHPSonos::GetTransportInfo()	11
<i>Gets transport settings for a renderer</i>	
PHPSonos	1
<i>PHPSonos Class</i>	